




















Planum Classic 55

Product Description

07.04.2026



Name	Standard	Symbol	Result
Total Thickness	EN ISO 24346		2.5 mm
Wear Layer Thickness	EN ISO 24340		0.55 mm
Usage Classification	EN ISO 10874		Class 33/42
Weight	EN ISO 23997		4.48 kg/m ²
Size	EN ISO 24342		236/238 x 1520 mm 457 x 914 mm 95 x 380 mm (herringbone)
Impact Sound Reduction	EN ISO 717-2		4 dB
Dimensional Stability Dimensional Stability Curling	EN ISO 23999		≤ 0.25 % ≤ 2 mm
Residual Indentation	EN ISO 24343-1		≤ 0,1 mm
Binder Content Wearlayer	EN ISO 10582		Type 1
Flammability / Smoke Emissions	EN 13501-1		Bfl-s1
Slip Resistance	DIN 51130 EN 13893		R10 Class DS
Castor Chair Resistance (Wheel Type W- EN12529)	ISO 4918		Pass, (≥ 25000 Cycles)
Light Stability	EN ISO 105-B02		≥ 6
Resistance to Chemicals	EN ISO 26987		Excellent
Thermal Resistance Suitable for Underfloor heating	ISO 8302 / EN 12664		0.040 m ² K/W Yes, max. floor temperature 27° C
Electrostatic Performance	EN 1815		≤ 2 kV
Surface Treatment			Urethane
Phthalate Free	Ege's Planum products are manufactured using phthalate free plasticisers		Yes
Environment	EN 14025		SCS-EPD-10031
	GWP Cradle to Gate (A1-A3)		6.46 kg. CO ₂ -eq/m ²
VOC Emissions	AgBB, French A+		Certificate IACG-373-01-01-05-2023
Manufacturing Standard	EN ISO 10582	Resilient floor coverings — Heterogeneous poly(vinyl chloride)	Pass
CE	EN 14041		ZJJT-DOP-211112

Name	Standard	Symbol	Result
Light Reflectance Value	BS 8493:2008+A1:2010		Smoked Oak: 10.06 Royal Oak: 20.75 Traditional Oak: 27.38 Natural Oak: 28.26 Scandinavian Oak: 30.90 Modern Oak: 32.31 Light Grey Oak: 38.41 Dark Concrete: 16.09 Warm Concrete: 26.43 Light Concrete: 24.43 Ivory Sand: 41.41 Warm Clay: 23.76 Dusty Terracotta: 15.48 Antique Green: 36.37 Zinc Blue: 27.36 Steel Blue: 16.30